

Product Catalog

Same-Day Shipping on most items ordered by 5 PM CST International Shipping Available

> Specialty Maintenance Products 5711 Clarewood, Suite B Houston, TX 77081 Phone | 713.667.4402 Fax | 713.669.8618 sales@smptools.com www.SMPtools.com

Preferred Vendor Number



Table of Contents

Hands-Free Tools

| HammerTight Slugging Wrench Retainer | 3 |
|--------------------------------------|---|
| Lokrite Hands-Free Backup Wrench | 4 |
| SMP Pump Impeller Wrench | 7 |
| SMP Shove It Push Pole | |
| SMP Tube Handle Wrenches | 9 |

Flange Alignment Tools

| Equalizer Flange Alignment Tools | 11 |
|----------------------------------|------|
| Titan Flange Alignment Pins | . 12 |

Flange Spreader Tools

| 15 |
|----|
| 17 |
| 18 |
| 20 |
| 21 |
| 22 |
| |

Torque Wrenches

| RAD Torque Wrenches |
|---------------------|
|---------------------|

Operations Tools

| AMS FlowBoss Bleeder Cleaners |
|-------------------------------|
|-------------------------------|

Turnaround Tools

| Flange Lifter Tools | . 28 |
|------------------------------|------|
| FlangeKing Gasket Multi-Tool | . 29 |
| BobbyJack Pipe Lifter | . 30 |
| Pipe Rack Jack Pipe Lifter | . 31 |



Watch Video Here

Hands-Free Tools

HammerTight Slugging Wrench Retainer





Hands-free device that holds a striking wrench or box-end wrench in place to prevent hand injuries

Spring-loaded retaining plate allows the hammer wrench to be indexed without having to unscrew the retainer

| Individual Pricing | | | | |
|----------------------|----------------|-------------|-----------|--|
| Part # | Stud Size | Tool Weight | Price | |
| SMP-HTS58 | 5/8" | .5 lbs. | \$131.00 | |
| SMP-HTS34 | 3/4" | .6 lbs. | \$138.00 | |
| SMP-HTS78 | 7/8" | .8 lbs. | \$145.00 | |
| SMP-HTS100 | 1" | 1 lbs. | \$155.00 | |
| SMP-HTS118 | 1-1/8" | 1.2 lbs. | \$163.00 | |
| SMP-HTS114 | 1-1/4" | 1.4 lbs. | \$164.00 | |
| SMP-HTS138 | 1-3/8" | 1.5 lbs. | \$173.00 | |
| SMP-HTS112 | 1-1/2" | 1.6 lbs. | \$180.00 | |
| SMP-HTS158 | 1-5/8" | 1.9 lbs. | \$188.00 | |
| SMP-HTS134 | 1-3/4" | 2.1 lbs. | \$198.00 | |
| SMP-HTS178 | 1-7/8" | 2.4 lbs. | \$215.00 | |
| SMP-HTS200 | 2" | 2.5 lbs. | \$241.00 | |
| SMP-HTS214 | 2-1/4" | 3.1 lbs. | \$283.00 | |
| SMP-HTS212 | 2-1/2" | 3.7 lbs. | \$340.00 | |
| SMP-HTS34178 W/ Case | 3/4" to 1-7/8" | 21 lbs. | \$1989.00 | |

© 2015 Specialty Maintenance Products



Watch Video Here

Hands-Free Tools

Lokrite Hands-Free Backup Wrench





| 8-Piece Set with Case | | | | |
|-----------------------|-------------------|------------|--|--|
| Part # Sizes Price | | | | |
| SMP-LR 8 Pc Set | 1-1/4" to 2-9/16" | \$1,995.00 | | |



Hands-free Magnetic "Pinch point"-free Tension release bolt Great for non-sparking areas Can be used for breakout Open-ended wrench design Hammers not needed for removal Lanyards can be installed for fall protection

Available in sizes 1-1/4" to 6-1/8" and in metric sizes too



Lokrite Hands-Free Backup Wrench

Specs and Pricing

| Box-End Wrench | | | | |
|----------------|----------|-------------|------------|--|
| Part # | Nut Size | Load Limit | Price | |
| SMP-LR34 | 3/4" | 350 ft lb | \$181.00 | |
| SMP-LR78 | 7/8" | 450 ft lb | \$181.00 | |
| SMP-LR1116 | 1-1/16" | 950 ft lb | \$181.00 | |
| SMP-LR114 | 1-1/4" | 2320 ft lb | \$181.00 | |
| SMP-LR1716 | 1-7/16" | 2486 ft lb | \$195.00 | |
| SMP-LR158 | 1-5/8" | 3480 ft lb | \$206.00 | |
| SMP-LR11316 | 1-13/16" | 3500 ft lb | \$228.00 | |
| SMP-LR2 | 2" | 4030 ft lb | \$235.00 | |
| SMP-LR2316 | 2-3/16" | 4200 ft lb | \$240.00 | |
| SMP-LR238 | 2-3/8" | 4250 ft lb | \$244.00 | |
| SMP-LR2916 | 2-9/16" | 4530 ft lb | \$249.00 | |
| SMP-LR234 | 2-3/4" | 5525 ft lb | \$271.00 | |
| SMP-LR21516 | 2-15/16" | 6240 ft lb | \$273.00 | |
| SMP-LR318 | 3-1/8" | 7016 ft lb | \$289.00 | |
| SMP-LR312 | 3-1/2" | 7150 ft lb | \$314.00 | |
| SMP-LR378 | 3-7/8" | 8780 ft lb | \$323.00 | |
| SMP-LR414 | 4-1/4" | 23706 ft lb | \$1,245.00 | |
| SMP-LR458 | 4-5/8" | 26891 ft lb | \$1,276.00 | |
| SMP-LR5 | 5" | 26900 ft lb | \$1,319.00 | |
| SMP-LR538 | 5-3/8" | 26900 ft lb | \$1,663.00 | |
| SMP-LR534 | 5-3/4" | 26900 ft lb | \$1,791.00 | |
| SMP-LR618 | 6-1/8" | 45500 ft lb | \$3,350.00 | |



Lokrite Hands-Free Backup Wrench

Specs and Pricing

| Open-End Wrench with Safety Cleat | | | |
|-----------------------------------|----------|-------------|------------|
| Part # | Nut Size | Load Limit | Price |
| SMP-LROE1116 | 1-1/16" | 650 ft lb | \$239.00 |
| SMP-LROE114 | 1-1/4" | 1624 ft lb | \$239.00 |
| SMP-LROE1716 | 1-7/16" | 1740 ft lb | \$283.00 |
| SMP-LROE158 | 1-5/8" | 2436 ft lb | \$309.00 |
| SMP-LROE11316 | 1-13/16" | 2450 ft lb | \$318.00 |
| SMP-LROE2 | 2" | 2821 ft lb | \$323.00 |
| SMP-LROE2316 | 2-3/16" | 2940 ft lb | \$345.00 |
| SMP-LROE238 | 2-3/8" | 2975 ft lb | \$351.00 |
| SMP-LROE2916 | 2-9/16" | 3171 ft lb | \$366.00 |
| SMP-LROE234 | 2-3/4" | 3867 ft lb | \$402.00 |
| SMP-LROE21516 | 2-15/16" | 4368 ft lb | \$422.00 |
| SMP-LROE318 | 3-1/8" | 4900 ft lb | \$458.00 |
| SMP-LROE312 | 3-1/2" | 5000 ft lb | \$559.00 |
| SMP-LROE378 | 3-7/8" | 6140 ft lb | \$609.00 |
| SMP-LROE414 | 4-1/4" | 16500 ft lb | \$2,135.00 |
| SMP-LROE458 | 4-5/8" | 18800 ft lb | \$2,237.00 |
| SMP-LROE5 | 5" | 18800 ft lb | \$2,311.00 |
| SMP-LROE538 | 5-3/8" | 18800 ft lb | \$2,450.00 |
| SMP-LROE534 | 5-3/4" | 18800 ft lb | \$2,484.00 |
| SMP-LROE618 | 6-1/8" | 31500 ft lb | \$3,814.00 |



Watch Video Here



Hands-Free Tools

SMP Impeller Wrench

Traditional pump disassembly methods are dangerous to workers and cause damage key pump components.

SMP centrifugal pump impeller wrenches protect workers hands by keeping them far away from the sharp impeller vanes and make it easier to separate the impeller from the drive shaft by distributing even force around the eye of the impeller.





Each SMP Impeller Wrench Kit (open, closed or combination) comes with a set of sockets to hold the 3 most common drive shaft sizes.

| SMP Centrifugal Pump Impeller Wrench Kits | | | | |
|---|---------------------------------|--|------------|--|
| Part # | Part # Kit Style Kit Components | | Price | |
| SMP-PIWC | Closed | 3 Wrenches for Closed Impeller & 3-Piece Input Shaft Socket Set | \$3,294.00 | |
| SMP-PIWO | Open | 1 Odd Vane Impeller Wrench, 1 Even Vane Impeller Wrench & 3-Piece Input Shaft Socket Set | \$1,925.00 | |
| SMP-PIWCOM | Combo | 3 Wrenches for Closed Impeller, 1 Odd Vane Impeller Wrench, 1 Even Vane Impeller Wrench & 3-Piece Input Shaft Socket Set | \$3,995.00 | |



Hands-Free Tools

Watch Video Here



SMP Shove-it Push Pole

Designed to help avoid hand injuries when working with suspended loads. Choose head with rubber or plastic inserts for anti-slip grip or smooth gliding surface.

V-shaped head allows workers to safely push and pull against flat surfaces.

| SMP Shove-it Push Pole | | | | |
|------------------------|---------------------------|---|----------|--|
| Part # | Part # Length Description | | Price | |
| SMP-Shove21R | 21" | V-Head, Rubber Inserts, 1 Hand Guard, 1 D-Handle | \$300.00 | |
| SMP-Shove42R | 42" | V-Head, Rubber Inserts, 1 Hand Guard, 1 D-Handle | \$325.00 | |
| SMP-Shove50R | 50" | V-Head, Rubber Inserts, 1 Hand Guard, 1 D-Handle | \$350.00 | |
| SMP-Shove72R | 72" | V-Head, Rubber Inserts, 2 Hand Guards | \$375.00 | |
| SMP-Shove90R | 90" | V-Head, Rubber Inserts, 2 Hand Guards | \$400.00 | |
| SMP-Shove21P | 21" | V-Head, Plastic Inserts, 1 Hand Guard, 1 D-Handle | \$300.00 | |
| SMP-Shove42P | 42" | V-Head, Plastic Inserts, 1 Hand Guard, 1 D-Handle | \$325.00 | |
| SMP-Shove50P | 50" | V-Head, Plastic Inserts, 1 Hand Guard, 1 D-Handle | \$350.00 | |
| SMP-Shove72P | 72" | V-Head, Plastic Inserts, 2 Hand Guards | \$375.00 | |
| SMP-Shove90P | 90" | V-Head, Plastic Inserts, 2 Hand Guards | \$400.00 | |
| SMP-ShoveQTH | N/A | Shove It Quick Tool Holder | \$50.00 | |

© 2015 Specialty Maintenance Products



Hands-Free Tools SMP Tube Handle Wrench



The SMP Tube Handle Wrench is a 12-point offset box end wrench that can be used with or without a detachable tube handle. The tube handle provides additional torque when tightening or breaking loose nuts. Handles are held in place with a spring-loaded locking button

| Wrenches fitting the SWTH-24 Tube Handle | | | | | |
|--|----------|---------|------------|---------|--|
| Part # | Nut Size | Length | Weight | Price | |
| SWT20TW | 1-1/16" | 10-1/2" | 1-5/8 lbs. | \$57.20 | |
| SWT21TW | 1-1/8" | 10-3/4" | 1-3/4 lbs. | \$57.60 | |
| SWT21ATW | 1-3/16" | 10-3/4" | 1-3/4 lbs. | \$59.50 | |
| SWT22TW | 1-1/4" | 10-3/4" | 1-3/4 lbs. | \$61.85 | |
| SWT23TW | 1-5/16" | 10-7/8" | 1-7/8 lbs. | \$68.85 | |
| SWT23ATW | 1-3/8" | 10-7/8" | 1-7/8 lbs. | \$71.20 | |
| SWT24TW | 1-7/16" | 10-7/8" | 1-7/8 lbs. | \$72.40 | |
| SWT25TW | 1-1/2" | 11" | 2-1/8 lbs. | \$80.50 | |
| SWT26TW | 1-5/8" | 11" | 2-1/8 lbs. | \$87.50 | |



SMP Tube Handle Wrench

Specs and Pricing

| Wrenches Fitting the SWTH-36 Tube Handle | | | | | |
|--|----------|---------|------------|----------|--|
| Part # | Nut Size | Length | Weight | Price | |
| SWT27TW | 1-11/16" | 13-1/4" | 3-7/8 lbs. | \$98.00 | |
| SWT28TW | 1-3/4" | 13-1/4" | 3-3/4 lbs. | \$102.80 | |
| SWT29TW | 1-13/16" | 13-1/4" | 3-3/4 lbs. | \$105.00 | |
| SWT30TW | 1-7/8" | 13-1/2" | 4-1/8 lbs. | \$107.40 | |
| SWT31TW | 1-15/16" | 13-1/2" | 4-1/8 lbs. | \$108.50 | |
| SWT32TW | 2" | 13-1/2" | 4 lbs. | \$112.00 | |
| SWT33TW | 2-1/8" | 13-1/2" | 4-3/8 lbs. | \$120.20 | |
| SWT34TW | 2-3/16" | 13-1/2" | 4-1/4 lbs. | \$129.50 | |
| SWT35TW | 2-1/4" | 13-3/4" | 4-7/8 lbs. | \$133.00 | |
| SWT36TW | 2-5/16" | 13-3/4" | 4-3/4 lbs. | \$135.40 | |
| SWT37TW | 2-3/8" | 13-3/4" | 4-5/8 lbs. | \$136.50 | |
| SWT38TW | 2-1/2" | 14" | 5-7/8 lbs. | \$138.85 | |
| SWT39TW | 2-9/16" | 14" | 5-3/4 lbs. | \$152.85 | |
| SWT40TW | 2-5/8" | 14" | 5-5/8 lbs. | \$159.85 | |
| SWT41TW | 2-3/4" | 14" | 5-1/4 lbs. | \$171.50 | |
| SWT42TW | 2-7/8" | 14-1/4" | 6-3/4 lbs. | \$199.50 | |
| SWT43TW | 2-15/16" | 14-1/4" | 6-1/2 lbs. | \$224.00 | |
| SWT44TW | 3" | 14-1/4" | 6-7/8 lbs. | \$252.00 | |
| SWT45TW | 3-1/8 | 14-1/4" | 5-7/8 lbs. | \$258.00 | |

| Tube Handles | | | | | |
|--------------|----------|--------|------------|----------|--|
| Part # | Nut Size | Length | Weight | Price | |
| SWTH-24 | n/a | 24" | 2-5/8 lbs. | \$57.20 | |
| SWTH-36 | n/a | 36" | 8 lbs. | \$116.80 | |







Equalizer Flange Alignment tools can be used to align or re-align flange joints during pipework construction, commissioning or during routine maintenance.

The tool is attached to the flange joint where misalignment is at its greatest and then simply push and pull the flanges into correct alignment.

| Equalizer Flange Alignment Tools | | | | | |
|----------------------------------|-------------|------------|------------|--|--|
| Part # | Force | Weight | Price | | |
| SMP-FA1TM | 2,000 lbs. | 4-3/4 lbs. | \$1,371.00 | | |
| SMP-FA4TM | 8,000 lbs. | 19 lbs. | \$4,410.00 | | |
| SMP-FA9TE | 18,000 lbs. | 32 lbs. | \$7,638.00 | | |



Flange Alignment Tools





Titan Flange Alignment Pins





Tapered shaft eliminates the need for hammering and prying when lining up flange bolt holes

Sold individually or in sets: sizes range from 3/8" to 3-5/8" hole diameter

The only flange alignment tool on the market that compensates for up, down and rotational misalignment





Titan Flange Alignment Tool Specs and Pricing

| Individual Pricing | | | | | | |
|--------------------|----------------|---------|--------------|------------|------------|--|
| Part # | Bolt Hole Size | Length | Hex Diameter | Weight | Price | |
| SMP-FT0 | 1/2" | 2-3/8" | 3/4" | 2-1/4 oz | \$46.00 | |
| SMP-FT01 | 5/8" | 2-3/4" | 7/8" | 4 oz | \$48.00 | |
| SMP-FT02 | 3/4" | 3-1/4" | 1-1/16" | 7 oz | \$49.00 | |
| SMP-FT03 | 7/8" | 3-1/2" | 1-1/4" | 11 oz | \$56.00 | |
| SMP-FT04 | 1" | 4" | 1-7/16" | 16 oz | \$66.00 | |
| SMP-FT06 | 1-1/8" | 5" | 1-5/8" | 1-1/2 lb | \$82.00 | |
| SMP-FT08 | 1-1/4" | 5-1/2" | 1-13/16" | 2 lb | \$100.00 | |
| SMP-FT1012 | 1-3/8" | 6-1/4" | 2" | 2-7/8 lb | \$130.00 | |
| SMP-FT14 | 1-1/2" | 6-1/2" | 2" | 3-1/4 lb | \$153.00 | |
| SMP-FT16 | 1-5/8" | 7-1/4" | 2" | 4-1/8 lb | \$180.00 | |
| SMP-FT1820 | 1-3/4" | 7-7/8" | 2" | 4-3/4 lb | \$204.00 | |
| SMP-FT22 | 1-7/8" | 8-3/8" | 2" | 7 lb | \$262.00 | |
| SMP-FT2426 | 2" | 9" | 2" | 6-5/8 lb | \$273.00 | |
| SMP-FT30 | 2-1/8" | 12" | 2-1/2" | 10-3/4 lb | \$391.00 | |
| SMP-FT34 | 2-3/8" | 13-1/4" | 2-1/2" | 13-1/2 lb | \$438.00 | |
| SMP-FT3642 | 2-5/8" | 14" | 2-3/4" | 17 lb | \$527.00 | |
| SMP-FT48 | 2-7/8" | 13-5/8" | 4-1/4" | 24-3/8 lb | \$1,365.00 | |
| SMP-FT5054 | 3-1/8" | 18" | 4-1/2" | 35-7/8 lb | \$1,680.00 | |
| SMP-FT60 | 3-5/8" | 20" | 5-1/4" | 55-1/4 lbs | \$2,205.00 | |

| Set with Case | | | | | |
|---------------|--|--------|------------|--|--|
| Part # | 2 of Each Size | Weight | Price | | |
| SMP-FTS24 | 3/4", 7/8", 1" | 8 lbs | \$496.00 | | |
| SMP-FTS26 | 3/4", 7/8", 1", 1-1/8" | 11 lbs | \$660.00 | | |
| SMP-FTS28 | 3/4", 7/8", 1", 1-1/8", 1-1/4" | 15 lbs | \$859.00 | | |
| SMP-FTS212 | 3/4", 7/8", 1", 1-1/8", 1-1/4", 1-3/8" | 22 lbs | \$1,118.00 | | |
| SMP-FTS1426 | 1-1/2", 1-5/8", 1-3/4", 2" | 50 lbs | \$1,850.00 | | |

Titan Extra Long Flange Alignment Tool Specs and Pricing

| Extra Long – Individual Pricing | | | | | | |
|---------------------------------|----------------|---------|--------------|-----------|----------|--|
| Part # | Bolt Hole Size | Length | Hex Diameter | Weight | Price | |
| SMP-FT0L | 1/2" | 5-3/8" | 3/4" | 10 oz | \$57.00 | |
| SMP-FT01L | 5/8" | 5-3/4" | 7/8" | 12 oz | \$60.00 | |
| SMP-FT02L | 3/4" | 6-1/4" | 1-1/16" | 14 oz | \$60.00 | |
| SMP-FT03L | 7/8" | 6-1/2" | 1-1/4" | 1-1/8 lb | \$71.00 | |
| SMP-FT04L | 1" | 7" | 1-7/16" | 1-1/2 lb | \$90.00 | |
| SMP-FT06L | 1-1/8" | 8" | 1-5/8" | 2-1/4 lb | \$105.00 | |
| SMP-FT08L | 1-1/4" | 8-1/2" | 1-13/16" | 3 lb | \$132.00 | |
| SMP-FT1012L | 1-3/8" | 9-1/4" | 2" | 4 lb | \$156.00 | |
| SMP-FT14L | 1-1/2" | 9-1/2" | 2" | 4-5/8 lb | \$178.00 | |
| SMP-FT16L | 1-5/8" | 10-1/4" | 2" | 5-3/4 lb | \$207.00 | |
| SMP-FT1820L | 1-3/4" | 10-7/8" | 2" | 7 lb | \$235.00 | |
| SMP-FT22L | 1-7/8" | 11-3/8" | 2" | 8-1/8 lb | \$266.00 | |
| SMP-FT2426L | 2" | 12" | 2" | 9-1/4 lb | \$300.00 | |
| SMP-FT30L | 2-1/8" | 15" | 2-1/2" | 13-1/2 lb | \$454.00 | |
| SMP-FT34L | 2-3/8" | 16-1/4" | 2-1/2" | 18 lb | \$497.00 | |
| SMP-FT3642L | 2-5/8" | 17" | 2-3/4" | 21 lb | \$577.00 | |

| Extra Long – Set with Case | | | | | |
|----------------------------|--------------------------------|--------|------------|--|--|
| Part # | 2 of Each Size | Weight | Price | | |
| SMP-FTS24L | 3/4", 7/8", 1" | 13 lbs | \$597.00 | | |
| SMP-FTS26L | 3/4", 7/8", 1", 1-1/8" | 18 lbs | \$807.00 | | |
| SMP-FTS28L | 3/4", 7/8", 1", 1-1/8", 1-1/4" | 21 lbs | \$1,069.00 | | |
| SMP-FTS212L | 3/4" to 1-3/8" | 32 lbs | \$1,380.00 | | |



Watch Video Here

Flange Spreader Tools

Equalizer & Enerpac Flange Spreaders



SMP offers Equalizer's full line of mechanical and hydraulic flange spreaders. These spreaders use mechanical and hydraulic principles for separating flanges and can spread small, medium, or large flange joints. Tool selection is based on the access gap between the flange faces, the flange size and the required scope of work.

SWi5TI-S

Integrated Hydraulic spreader generates up to **8.7 tons** of force Requires a gap of only ¼" Tool weighs 23.1 lbs. Spreads up to 4"

Kit includes: (1) SWi5TI Flange Spreader, (1) Safety Block, (1) Lanyard, (1) Carrying Case, (1) Instruction Manual

Price: \$2,504.00





SWI12/14TM

Mechanical spreader generates up to **14 tons** of force 12T force 1st step and 14T force 4th step Requires a gap of only 1/4" Spreads up to 4.1"

Kit includes: (1) SWi12/14TM wedge head, Torque Wrench with 22mm Socket, (2) Safety block, (1) Carrying case, (1) Carry strap, (1) Instruction Manual

Price: \$3,507.00



Flange Spreader Tools





Equalizer & Enerpac Flange Spreaders

Equalizer offers the most powerful flange spreaders on the market (models up to 25 tons.) Designed for rigid and large diameter flanges, Equalizer puts the power in your hands to get the job done right. Our most popular tools are listed below but for videos and a full product lineup check out our <u>website</u>.



Enerpac FSC14

10,000 psi integrated hydraulic pump generates **14 tons** of force Requires a gap of only 1/4" Spreads up to 3.16 in. Automatic mechanical retraction

Kit includes: (1) FSC14 Integrated Hydraulic Flange Spreader (1) Safety block (1 Instruction Manual

Price: \$3,759.00

SWi20/25TI Integrated

10,000 psi integrated hydraulic pump generates **25 tons** of force Requires a gap of only 1/4" Spreads over 1-1/2" using only the first step Automatic mechanical retraction

Kit includes: (1) SWi20/25TI wedge head, (1) 10,000 psi 10 T integral hydraulic pump/cylinder, (1) Safety block, (1) Carrying case, (1) Carry strap, (1) Instruction Manual

Price: \$4,453.00





SWi20/25TE Maxi Kit

Generates smooth spreading force of **25 tons** Requires a gap of only 1/4" Automatic mechanical retraction Interlocking first step with deep 15 mm secure hold

Kit includes: (2) SWi20/25TE wedge heads, (2) 10,000 psi 10 T hydraulic hoses, - 2 m each, (2) 10,000 psi 10T hydraulic cylinder, (1) 10,000 psi HP350D sealed hand pump with gauges, (2) Safety block, (2) Stepped blocks, (1) Carrying case, (1) Instruction Manual

Price: \$9,773.00



Watch Video Here



Flange Spreader Tools

FlangeBoss Flange Spreader





Spreads flanges evenly and safely during gasket changes and other applications

Rotating Cam-Wedge design with versatile hex drive attaches to the flanges through the bolt holes, securing flange spreaders to piping which will not slip out

Safe and easy to use

| Includes carrying case, ratchet and socket | | | | | |
|--|-------------|---------|--------------------------------|------------|--|
| Part # | Pipe Size | Opening | Pressure | Price | |
| FBX150-300 | 1/2" to 24" | 7/8" | 150, 300 series flanges | \$1,875.00 | |
| FBX400-600 | 1/2" to 24" | 1-3/4" | 400, 600 series flanges | \$1,875.00 | |
| FBX900-2500 | 1/2" to 24" | 1-3/4" | 900, 1500, 2500 series flanges | \$1,975.00 | |



Watch Video Here

Flange Spreader Tools

Pop-It Tool Flange Spreaders: P95-525



Most versatile tool of its kind on the market – Precision adjustment, compact and portable, lightweight

Takes the place of the hammer and wedge – Can spread or lift 5 tons to 5-1/2" with 120 lbs of force, holds setting without drift, 7/100" entrance for tight spots

| Pop-It Tool P95-525 | |
|---|------------|
| Part # and Description | Price |
| P95-525 tool | \$1,339.00 |
| P95-525 kit Includes: (2) P95-525, (2) Safety chocks, (1) Pelican case | \$2,750.00 |



Watch Video Here

Flange Spreader Tools

Pop-It Tool Flange Spreaders: PHD-0535



Most versatile tool of its kind on the market – Designed for spreading large or rigid flanges, and lifting heavy equipment

Takes the place of the hammer and wedge – Can spread or lift 30,000 lbs up to 5-1/2°, can spread or lift 20,000 lbs up to 8-1/2° with the toes reset

| Pop-It Tool PHD-0535 | |
|--|------------|
| Part # and Description | Price |
| PHD-0535 tool (heavy duty) | \$2,410.00 |
| PHD-0535 kit Includes: (1) PHD-0535, (1) Safety chock, (1) Pelican case | \$2,500.00 |



Watch Video Here

Flange Spreader Tools

SafetyWedge Tethered Wedge Sets



Designed to reduce the possibility of worker injury with a safety strap. The brass wedge is restrained, non-flying, non-magnetic, nonsparking, non-corrosive, shock resistant







| Available in brass, straight steel and banana wedge types | | | | | | | | |
|---|-------------------------|---------|-----------|--------|----------|--|--|--|
| Part # | Description | Length | Thickness | Width | Price | | | |
| SW-1A | Brass wedge | 6" | 1/2" | 1" | \$146.00 | | | |
| SW-2A | Brass wedge | 6" | 3/4" | 1-1/2" | \$209.00 | | | |
| SW-3A | Brass wedge | 8" | 1-1/2" | 1-1/2" | \$290.00 | | | |
| SWST-1A | Steel wedge | 10-1/2" | 7/8" | 7/8" | \$197.00 | | | |
| SWBN-1A | Banana steel wedge | 11" | 7/8" | 7/8" | \$216.00 | | | |
| SWBW-1A | Banana brass wedge | 13" | 3/4" | 1-1/2" | \$291.00 | | | |
| SW-1A-LAN | Spare brass lanyard | 48" | 1/8" | n/a | \$29.00 | | | |
| SW-2A-LAN | Spare brass lanyard | 60" | 3/16" | n/a | \$39.00 | | | |
| SW-3A-LAN | Spare brass lanyard | 60" | 3/16" | n/a | \$39.00 | | | |
| SWST-1A-LAN | Spare steel lanyard | 60" | 3/16" | n/a | \$39.00 | | | |
| SWBN-1A-LAN | Spare banana lanyard | 60" | 3/16" | n/a | \$39.00 | | | |




Watch Video Here



Flange Spreader Tools

SMP Side Winder Pipe Spreader



Ideally suited for spreading lap joint, slip on, or flat face flanges.

Operating span from 5" up to 42"

Operates with an adjustable wrench in either the vertical or horizontal position.

| SMP Side Winder Pipe Spreaders 30" | | | | | | |
|--------------------------------------|-----------|-----------|------------|--|--|--|
| Part# Pipe Size Operating Span Price | | | | | | |
| SMP30PS-0208 | 2" - 8" | 5" to 30" | \$1,855.00 | | | |
| SMP30PS-1018 | 10" - 18" | 5" to 30" | \$1,950.00 | | | |

| SMP Side Winder Pipe Spreaders 42" | | | | | | |
|--------------------------------------|-----------|-----------|------------|--|--|--|
| Part# Pipe Size Operating Span Price | | | | | | |
| SMP42PS-0208 | 2" - 8" | 5" to 42" | \$1,995.00 | | | |
| SMP42PS-1018 | 10" - 18" | 5" to 42" | \$2,075.00 | | | |



Flange Spreader Tools <u>Watch Video Here</u>

Valve-Out Valve Removal Tool & Flange Spreader





Eliminate the need for come-alongs, track-hoes, wire rope, chains, hammers, and wedges

Can be used for safe and easy removal of: control valves, bypass valves, expansion joints, spools, rupture disks, regulators, orifice plates, and meters



Valve-Out Valve Removal Tool & Flange Spreader Specs and Pricing

SMP-VOC 1 Kit

Includes 3/4", 7/8", 1" bolt hole pins that can fit flange sizes ranging from: **Pipe Diameter Pressure** 2" to 12" 150 series flanges 1" to 8" 300 series flanges 1" to 6" 400 series flanges 1" to 4" 600 series flanges 1" to 3" 900 series flanges 1" to 2" 1500 series flanges

Price: \$2,850.00 Includes Pelican Hard Shelled Case; FOB: Houston, TX









| 3MF-VOC 2 Kit | |
|--|--|
| Includes 1-1/8", 1-1/4", 1-3/8" bolt hole pins that can fit flange sizes ranging from: | |

SWD-VOC 2

| Pipe Diameter | Pressure | | | |
|---------------|---------------------|--|--|--|
| 14" to 26" | 150 series flanges | | | |
| 10" to 20" | 300 series flanges | | | |
| 8" to 14" | 400 series flanges | | | |
| 5" to 12" | 600 series flanges | | | |
| 1-1/2" to 6" | 900 series flanges | | | |
| 1-1/2" to 4" | 1500 series flanges | | | |
| | | | | |

Price: \$3,025.00 Includes Pelican Hard Shelled Case; FOB: Houston, TX

SMP-VOC 1 and SMP-VOC 2 Kits include:

Flange spreading plates and interchangeable bolt hole pins to service the sizes listed, plus spacer bar segments 1-3/4" caps (2), 1-3/4" cups (2), 2" spacers (4), 4" spacers (2). Spacer parts total 11.5" per side of flange.

Tools come in (2) Hard Shell Cases with form-fitting foam.



Valve-Out Valve Removal Tool & Flange Spreader

Specs and Pricing

| SMP-VOC 1-2 Kit | | | | |
|--|-----------------------|--|--|--|
| Includes 3/4", 7/8", 1", 1-1/8", 1-1/4", and 1-3/8" bolt hole pins | | | | |
| that can handle flange | e sizes ranging from: | | | |
| Pipe Diameter Pressure | | | | |
| 2" to 26" | 150 series flanges | | | |
| 1" to 20" | 300 series flanges | | | |
| 1" to 14" | 400 series flanges | | | |
| 1" to 12" | 600 series flanges | | | |
| 1" to 6" | 900 series flanges | | | |
| 1" to 4" | 1500 series flanges | | | |

Price: \$3,965.00

Includes Pelican Hard Shelled Case; FOB: Houston, TX



SMP VOC 1-2 Kit includes:

Flange spreading plates and interchangeable bolt hole pins to service the sizes listed, plus spacer bar segments 1-3/4" caps (2), 1-3/4" cups (2), 2" spacers (4), 4" spacers (2). Spacer parts total 11.5" per side of flange.

Tools come in (3) Hard Shell Cases with form-fitting foam.

Extra Spacer Bars Available for Valves Wider Than 12"

VOC SPCR2 – 2" Valve-Out Spacer \$43.00 each

VOC SPCR4 – 4" Valve-Out Spacer \$47.00 each

VOC SPCR6 - 6" Valve-Out Spacer \$50.00 each



Watch Video Here



Torque Wrenches

RAD Torque Wrenches





Compared to hydraulic torque wrenches, RAD pneumatic torque wrenches allow for significantly faster torqueing times. Once the trigger is pulled RAD Torque wrenches will rotate continuously.

Pneumatic torque wrenches from RAD are also much lighter and aren't constrained by hydraulic hoses like hydraulic torque wrenches, making them easier to use and more ergonomic for the mechanic.

RAD pneumatic torque wrenches will stall right at the preset torque.

Models are available up to 8,500 foot pounds of torque.

Torque Wrenches Specs and Pricing



RAD Single Speed

RAD single speed pneumatic torque wrenches are available from 50 – 11,000 ft. / lbs. and 3 - 65 rpms. Accuracy of +/-4%, and repeatability of +/-2%

Each RAD Pneumatic Tool includes: Reaction Arm and Snap Ring Hose and Fittings Tool Holder with FRL Unit

Check Website for Models & Pricing

B – RAD Select

B-RAD Select offers unmatched power, versatility, and reliability while incorporating a new torque display with buttons. The B-RAD Select allows the user to easily select the target torque.

- Digital torque settings, able to increase or decrease the value by 10 ft. lbs.
- Torque ranges up to 5,000 ft lbs.
- · Equipped with the latest lithium-ion technology

 Suitable for pre-torque and service jobs where electricity or compressed air are not available.

Check Website for Models & Pricing



E – RAD BLU

E-RAD BLU precision torque wrench tools are designed to provide a high degree of accuracy (+/- 2.8%) and repeatability (+/- 2%). Using a patented gearbox design and the precision of an electric AC Servo motor.

E – RAD BLU Tool Kits Include: Reaction Arm and Snap Ring E – RAD Tool Handle E – RAD Touch Controller Single 15' Cable Calibrated to ISO 17025

Check Website for Models & Pricing





Watch Video Here

Operations Tools

AMS FlowBoss Bleeder Cleaners



Clean clogged bleeder, vent and instrument tap valves safely and efficiently while containing process material.

Eliminate the hazards of dangerous fires, spills, and vapor releases





SMP offers training, onsite demonstrations, tool inspection and repair. Make sure your team has the right tool and the knowledge and skills to work safely -- Talk to an SMP sales member to learn more.

← Ask about our *Industrial* drill bits.



Watch Video Here



Turnaround Tools

Flange Lifter Tools

Flange lifting tools from SMP allow for a safe and easy way to pick up, lift and lower blind and weld neck flanges. Flange lifting tools hold flanges level and 2-holed for ease of installation or welding. Load rating applies to both vertical and horizontal orientations. No lifting eye required.

| | SMP F | Flange Lifting Sha | ckle | | | | | |
|---|----------------|---|-------------|------------|--|--|--|--|
| Positive Attachment to both blind and weld neck flanges. Tool arms swivel for fitment on different bolt holes. | | | | | | | | |
| Part# | Fits Bolt Size | olt Size Flange Thickness Load Rating Price | | | | | | |
| SMP-FLS3 | 5/8" Minimum | Up to 3" | 2,000 lbs. | \$1,890.00 | | | | |
| SMP-FLS6 | 7/8" Minimum | Up to 6" | 5,000 lbs. | \$2,310.00 | | | | |
| SMP-FLS11 | 1-1/8" Minimum | Up to 11" | 14,000 lbs. | \$3,990.00 | | | | |



Blind (Only) Flange Lifters

Flange lifting tools pick up and lower blind flanges by the bolts. The spacers and arms can be swapped to fit the exact flange thickness.

| Part# | Fits Bolt Size | Flange Thickness | Load Rating | Price |
|------------|-----------------|------------------|-------------|------------|
| SMP-FLA112 | 3/4" - 1-1/2" | 1/2" – 3-3/4" | 1,000 lbs. | \$1286.00 |
| SMP-FLA212 | 1-1/2" - 2-1/2" | 1/2" – 7" | 2,000 lbs. | \$1,500.00 |

| | Blind & | Weld Neck Flange | Lifters | | | | |
|--|----------------|---|-------------|------------|--|--|--|
| Flange lifting tools pick up and lower blind and weld neck flanges by the bolts. The spacers and arms can be swapped to fit the exact flange thickness. | | | | | | | |
| Part# | Fits Bolt Size | olt Size Flange Thickness Load Rating Price | | | | | |
| SMP-FLA1000 | 3/4" – 2-1/4" | 1" – 6-3/16" | 1,000 lbs. | \$1,286.00 | | | |
| SMP-FLA5000 | 3/4" – 4" | 1" - 11-1/16" | 5,000 lbs. | \$1,714.00 | | | |
| SMP-FLA14000 | 3/4" – 4" | 1" — 11-1/16" | 14,000 lbs. | \$2,357.00 | | | |



Watch Video Here



Turnaround Tools

FlangeKing Gasket Multi-Tool



The FlangeKing[™] gasket multitool is the perfect addition to every maintenance technician's tool set. Built for safe and easy removal of flange gaskets, FlangeKing keeps fingers out of danger, and the handle is contoured to fit comfortably in your hand.

Overall Length: 13.25" Blade Length: 7.75" Blade Width: 1.5" Weight: 6 oz. Protective Ceramic Coating Blade Thickness: .125" Utility Round: .375" Diameter Rule: 7.75 inch

| Individual Pricing | | | | | | | | |
|--|--|---------|--|--|--|--|--|--|
| Part # Blade Length Corner Style Price | | | | | | | | |
| FK Flex | 8" (90° Gasket Scraper) | \$52.00 | | | | | | |
| FK 08 Sheath | heath Nylon Sheath in Black w/ Belt Loop \$8 | | | | | | | |



Turnaround Tools

Watch Video Here



BobbyJack Pipe Lifter



Eliminate need for crane, crane operator and rigger

Quick and easy install – Less than one minute


Reduce costs, maximize productivity, increase safety

| Individual Pricing | | | | |
|--|------------|--|--|--|
| Part # and Description | Price | | | |
| SMP-BobbyJack | | | | |
| Accommodates pipe sizes up to 30" Raises pipe up to 5-3/4" from beam Fits all standard sized beams Each unit tested and certified to withstand > 12,000 lb load | \$7,800.00 | | | |



Turnaround Tools Watch Video Here
Pipe Rack Jack Pipe Lifter





Developed to lift pipe for inspection or to replace and refurbish supports underneath pipe

Eliminates the need to hire an expensive crane or build scaffolding to inspect pipes – Made from anodized high tensile aluminum

Simple, safe, solid, cost effective, CE approved, corrosion resistant and a purely mechanical solution to an expensive problem

| | Individual Pricing (with Pelican case) | | | | | | | |
|-------------|--|------------------|------------------|-------------|---------------|-------------|-----------------------|------------|
| Part # | Pipe Dia | Beam Ht | Beam Wd | Max Load | Lifting Ht | Total Wt | Dims | Price |
| SMP -PRJ | Up to DN400 (16") | 4" to 12-1/2" | 4" to 12-1/2" | 5500 Ib | Min 6" | 54 lb | 36" x 11" x 4-1/2" | \$6,499.00 |