



Product Catalog

Same-Day Shipping on most items ordered by 5 PM CST
International Shipping Available
Ask us about rental options

Specialty Maintenance Products, Inc.
5711 Clarewood, Suite A/B
Houston, TX 77081
Phone | 713.667.4402
Fax | 713.669.8618
sales@smptools.com
www.SMPtools.com

Preferred Vendor Number _____

Table of Contents

Hands-Free Tools

HammerTight Slugging Wrench Retainer	3
Lokrite Hands-Free Backup Wrench	4
SMP Pump Impeller Wrench	7
SMP Shove It Push Pole.....	8
SMP Hold-It & SMP Grate-It.....	9
SMP Tube Handle Wrenches.....	10

Flange Alignment Tools

Equalizer Flange Alignment Tools	12
RenQuip Flange Alignment Tools	13
Titan Flange Alignment Pins	14

Flange Spreader Tools

Equalizer / Enerpac Flange Spreaders.....	17
RenQuip Flange Spreaders.....	19
Pop-it Tool Flange Spreaders	20
SafetyWedge Tethered Wedge Sets	22
SMP Sidewinder Lap Joint Flange Spreader	23
SMP Valve-Out Tool Flange Spreader	24

Torque Wrenches

RAD Torque Wrenches	27
---------------------------	----

Operations Tools

AMS FlowBoss Bleeder Cleaners	29
-------------------------------------	----

Turnaround Tools

Flange Lifter Tools	30
FlangeKing Gasket Multi-Tool	31
BobbyJack Pipe Lifter	32
Pipe Rack Jack Pipe Lifter	33

Hands-Free Tools

[Watch Video Here](#)



HammerTight Slugging Wrench Retainer



Hands-free device that holds a striking wrench or box-end wrench in place to prevent hand injuries

Spring-loaded retaining plate allows the hammer wrench to be indexed without having to unscrew the retainer

Individual Pricing			
Part #	Stud Size	Tool Weight	Price
SMP-HTS58	5/8"	.5 lbs.	\$141.00
SMP-HTS34	3/4"	.6 lbs.	\$149.00
SMP-HTS78	7/8"	.8 lbs.	\$156.00
SMP-HTS100	1"	1 lbs.	\$167.00
SMP-HTS118	1-1/8"	1.2 lbs.	\$176.00
SMP-HTS114	1-1/4"	1.4 lbs.	\$177.00
SMP-HTS138	1-3/8"	1.5 lbs.	\$186.00
SMP-HTS112	1-1/2"	1.6 lbs.	\$194.00
SMP-HTS158	1-5/8"	1.9 lbs.	\$202.00
SMP-HTS134	1-3/4"	2.1 lbs.	\$213.00
SMP-HTS178	1-7/8"	2.4 lbs.	\$231.00
SMP-HTS200	2"	2.5 lbs.	\$259.00
SMP-HTS214	2-1/4"	3.1 lbs.	\$304.00
SMP-HTS212	2-1/2"	3.7 lbs.	\$365.00
SMP-HTS34178 W/ Case	3/4" to 1-7/8"	21 lbs.	\$2131.00

Hands-Free Tools

[Watch Video Here](#)



Lokrite Hands-Free Backup Wrench



8-Piece Set with Case

Part #	Sizes	Price
SMP-LR 8 Pc Set	1-1/4" to 2-9/16"	\$1,995.00
SMP-LR 9 Pc Set	1-1/16" to 2-9/16"	\$2,185.00

Hands-free

Magnetic

"Pinch point"-free

Tension release bolt

Great for non-sparking areas

Can be used for breakout

Open-ended wrench design

Hammers not needed for removal

Lanyards can be installed for fall protection

Available in sizes 1-1/4" to 6-1/8" and in metric sizes too



Lokrite Hands-Free Backup Wrench

Specs and Pricing

Box-End Wrench			
Part #	Nut Size	Load Limit	Price
SMP-LR34	3/4"	350 ft lb	\$181.00
SMP-LR78	7/8"	450 ft lb	\$181.00
SMP-LR1116	1-1/16"	950 ft lb	\$181.00
SMP-LR114	1-1/4"	2320 ft lb	\$181.00
SMP-LR1716	1-7/16"	2486 ft lb	\$195.00
SMP-LR158	1-5/8"	3480 ft lb	\$206.00
SMP-LR11316	1-13/16"	3500 ft lb	\$228.00
SMP-LR2	2"	4030 ft lb	\$235.00
SMP-LR2316	2-3/16"	4200 ft lb	\$240.00
SMP-LR238	2-3/8"	4250 ft lb	\$244.00
SMP-LR2916	2-9/16"	4530 ft lb	\$249.00
SMP-LR234	2-3/4"	5525 ft lb	\$271.00
SMP-LR21516	2-15/16"	6240 ft lb	\$273.00
SMP-LR318	3-1/8"	7016 ft lb	\$289.00
SMP-LR312	3-1/2"	7150 ft lb	\$314.00
SMP-LR378	3-7/8"	8780 ft lb	\$323.00
SMP-LR414	4-1/4"	23706 ft lb	\$1,245.00
SMP-LR458	4-5/8"	26891 ft lb	\$1,276.00
SMP-LR5	5"	26900 ft lb	\$1,319.00
SMP-LR538	5-3/8"	26900 ft lb	\$1,663.00
SMP-LR534	5-3/4"	26900 ft lb	\$1,791.00
SMP-LR618	6-1/8"	45500 ft lb	\$3,350.00



Lokrite Hands-Free Backup Wrench

Specs and Pricing

<i>Open-End Wrench with Safety Cleat</i>			
Part #	Nut Size	Load Limit	Price
SMP-LROE1116	1-1/16"	650 ft lb	\$239.00
SMP-LROE114	1-1/4"	1624 ft lb	\$239.00
SMP-LROE1716	1-7/16"	1740 ft lb	\$283.00
SMP-LROE158	1-5/8"	2436 ft lb	\$309.00
SMP-LROE11316	1-13/16"	2450 ft lb	\$318.00
SMP-LROE2	2"	2821 ft lb	\$323.00
SMP-LROE2316	2-3/16"	2940 ft lb	\$345.00
SMP-LROE238	2-3/8"	2975 ft lb	\$351.00
SMP-LROE2916	2-9/16"	3171 ft lb	\$366.00
SMP-LROE234	2-3/4"	3867 ft lb	\$402.00
SMP-LROE21516	2-15/16"	4368 ft lb	\$422.00
SMP-LROE318	3-1/8"	4900 ft lb	\$458.00
SMP-LROE312	3-1/2"	5000 ft lb	\$559.00
SMP-LROE378	3-7/8"	6140 ft lb	\$609.00
SMP-LROE414	4-1/4"	16500 ft lb	\$2,135.00
SMP-LROE458	4-5/8"	18800 ft lb	\$2,237.00
SMP-LROE5	5"	18800 ft lb	\$2,311.00
SMP-LROE538	5-3/8"	18800 ft lb	\$2,450.00
SMP-LROE534	5-3/4"	18800 ft lb	\$2,484.00
SMP-LROE618	6-1/8"	31500 ft lb	\$3,814.00

Hands-Free Tools

[Watch Video Here](#)



SMP Impeller Wrench

Traditional pump disassembly methods are dangerous to workers and cause damage key pump components.

SMP centrifugal pump impeller wrenches protect workers hands by keeping them far away from the sharp impeller vanes and make it easier to separate the impeller from the drive shaft by distributing even force around the eye of the impeller.



Each SMP Impeller Wrench Kit (open, closed or combination) comes with a set of sockets to hold the 3 most common drive shaft sizes.

SMP Centrifugal Pump Impeller Wrench Kits			
Part #	Kit Style	Kit Components	Price
SMP-PIWC	Closed	3 Wrenches for Closed Impeller & 3-Piece Input Shaft Socket Set	\$3,294.00
SMP-PIWO	Open	1 Odd Vane Impeller Wrench, 1 Even Vane Impeller Wrench & 3-Piece Input Shaft Socket Set	\$1,925.00
SMP-PIWCOM	Combo	3 Wrenches for Closed Impeller, 1 Odd Vane Impeller Wrench, 1 Even Vane Impeller Wrench & 3-Piece Input Shaft Socket Set	\$3,995.00

Hands-Free Tools

[Watch Video Here](#)




SMP Shove-it Push Pole

Designed to help avoid hand injuries when working with suspended loads.

Choose head with rubber or plastic inserts for anti-slip grip or smooth gliding surface.

V-shaped head allows workers to safely push and pull against flat surfaces.



SMP Shove-it Push Pole			
Part #	Length	Description	Price
SMP-Shove21R	21"	V-Head, Rubber Inserts, 1 Hand Guard, 1 D-Handle	\$300.00
SMP-Shove42R	42"	V-Head, Rubber Inserts, 1 Hand Guard, 1 D-Handle	\$325.00
SMP-Shove50R	50"	V-Head, Rubber Inserts, 1 Hand Guard, 1 D-Handle	\$350.00
SMP-Shove72R	72"	V-Head, Rubber Inserts, 2 Hand Guards	\$375.00
SMP-Shove90R	90"	V-Head, Rubber Inserts, 2 Hand Guards	\$400.00
SMP-Shove21P	21"	V-Head, Plastic Inserts, 1 Hand Guard, 1 D-Handle	\$300.00
SMP-Shove42P	42"	V-Head, Plastic Inserts, 1 Hand Guard, 1 D-Handle	\$325.00
SMP-Shove50P	50"	V-Head, Plastic Inserts, 1 Hand Guard, 1 D-Handle	\$350.00
SMP-Shove72P	72"	V-Head, Plastic Inserts, 2 Hand Guards	\$375.00
SMP-Shove90P	90"	V-Head, Plastic Inserts, 2 Hand Guards	\$400.00
SMP-ShoveQTH	N/A	Shove It Quick Tool Holder	\$50.00

Hands-Free Tools

SMP Hold-it

The Hold-It allows workers to secure striking wrenches from a distance, protecting their hands and fingers. A cam buckle trigger mechanism provides a fast & secure way to adjust the polyester strap as needed.



SMP Hold-it 18

Part #	Size	Price
SMP-Hold-It18	18"	\$150.00

Hands-Free Tools

SMP Grate-it

With the Grate-It tool, the operator doesn't have to touch the grating directly with their hands. It utilizes a twist locking T Hook mechanism to keep the grating securely attached to the tool until the operator chooses to release it.



SMP Grate-it

Part #	Size	Price
SMP-Grate-It	32"	\$450.00

Hands-Free Tools

SMP Tube Handle Wrench



The SMP Tube Handle Wrench is a 12-point offset box end wrench that can be used with or without a detachable tube handle. The tube handle provides additional torque when tightening or breaking loose nuts. Handles are held in place with a spring-loaded locking button

Wrenches fitting the SWTH-24 Tube Handle

Part #	Nut Size	Length	Weight	Price
SWT20TW	1-1/16"	10-1/2"	1-5/8 lbs.	\$67.00
SWT21TW	1-1/8"	10-3/4"	1-3/4 lbs.	\$67.00
SWT21ATW	1-3/16"	10-3/4"	1-3/4 lbs.	\$69.00
SWT22TW	1-1/4"	10-3/4"	1-3/4 lbs.	\$72.00
SWT23TW	1-5/16"	10-7/8"	1-7/8 lbs.	\$80.00
SWT23ATW	1-3/8"	10-7/8"	1-7/8 lbs.	\$82.00
SWT24TW	1-7/16"	10-7/8"	1-7/8 lbs.	\$83.00
SWT25TW	1-1/2"	11"	2-1/8 lbs.	\$94.00
SWT26TW	1-5/8"	11"	2-1/8 lbs.	\$97.00

SMP Tube Handle Wrench

Specs and Pricing

Wrenches Fitting the SWTH-36 Tube Handle

Part #	Nut Size	Length	Weight	Price
SWT27TW	1-11/16"	13-1/4"	3-7/8 lbs.	\$109.00
SWT28TW	1-3/4"	13-1/4"	3-3/4 lbs.	\$114.00
SWT29TW	1-13/16"	13-1/4"	3-3/4 lbs.	\$116.00
SWT30TW	1-7/8"	13-1/2"	4-1/8 lbs.	\$119.00
SWT31TW	1-15/16"	13-1/2"	4-1/8 lbs.	\$120.00
SWT32TW	2"	13-1/2"	4 lbs.	\$123.00
SWT33TW	2-1/8"	13-1/2"	4-3/8 lbs.	\$134.00
SWT34TW	2-3/16"	13-1/2"	4-1/4 lbs.	\$144.00
SWT35TW	2-1/4"	13-3/4"	4-7/8 lbs.	\$147.00
SWT36TW	2-5/16"	13-3/4"	4-3/4 lbs.	\$149.00
SWT37TW	2-3/8"	13-3/4"	4-5/8 lbs.	\$151.00
SWT38TW	2-1/2"	14"	5-7/8 lbs.	\$153.00
SWT39TW	2-9/16"	14"	5-3/4 lbs.	\$168.00
SWT40TW	2-5/8"	14"	5-5/8 lbs.	\$177.00
SWT41TW	2-3/4"	14"	5-1/4 lbs.	\$189.00
SWT42TW	2-7/8"	14-1/4"	6-3/4 lbs.	\$220.00
SWT43TW	2-15/16"	14-1/4"	6-1/2 lbs.	\$246.00
SWT44TW	3"	14-1/4"	6-7/8 lbs.	\$277.00
SWT45TW	3-1/8"	14-1/4"	5-7/8 lbs.	\$284.00

Tube Handles

Part #	Nut Size	Length	Weight	Price
SWTH-24	n/a	24"	2-5/8 lbs.	\$99.00
SWTH-36	n/a	36"	8 lbs.	\$137.00

Flange Alignment Tools [Watch Video Here](#)



Equalizer Flange Alignment Tools



Equalizer Flange Alignment tools can be used to align or re-align flange joints during pipework construction, commissioning or during routine maintenance.

The tool is attached to the flange joint where misalignment is at its greatest and then simply push and pull the flanges into correct alignment.

Equalizer Flange Alignment Tools			
Part #	Force	Weight	Price
SMP-FA1TM	2,000 lbs.	4-3/4 lbs.	\$1,412.00
SMP-FA4TM	8,000 lbs.	19 lbs.	\$4,542.00
SMP-FA9TE	18,000 lbs.	32 lbs.	\$7, 867.00

Flange Alignment Tools

RenQuip Flange Alignment Tools



RenQuip is the Original Equipment Manufacturer (OEM) for a range of “Made in the UK” Hydraulic & Mechanical Flange Alignment Tools.

RenQuip has both hydraulic & mechanical options for aligning flanges, in stock & with economical pricing.

RenQuip Flange Alignment Tools are used to correct linear & rotational misalignment of flanges.

RenQuip Flange Alignment Tools			
Part #	Force	Weight	Price
SMP-AT4K	8,000 lbs.	19 lbs.	\$4,100.00
SMP-AT9K	18,000 lbs.	32 lbs.	\$7,000.00

Flange Alignment Tools

[Watch Video Here](#)



Titan Flange Alignment Pins



Tapered shaft eliminates the need for hammering and prying when lining up flange bolt holes



Sold individually or in sets: sizes range from 3/8" to 3-5/8" hole diameter

The only flange alignment tool on the market that compensates lateral and rotational misalignment

Safe, fast, effective



***Correct size pin will match the Bolt-HOLE size of your flange*
(NOT THE STUD SIZE)
[Bolt-Hole size = Stud size + 1/8"]**



Titan Flange Alignment Tool

Specs and Pricing

Individual Pricing					
Part #	Bolt Hole Size	Length	Hex Diameter	Weight	Price
SMP-FT0	1/2"	2-3/8"	3/4"	2-1/4 oz	\$50.00
SMP-FT01	5/8"	2-3/4"	7/8"	4 oz	\$52.00
SMP-FT02	3/4"	3-1/4"	1-1/16"	7 oz	\$53.00
SMP-FT03	7/8"	3-1/2"	1-1/4"	11 oz	\$63.00
SMP-FT04	1"	4"	1-7/16"	16 oz	\$72.00
SMP-FT06	1-1/8"	5"	1-5/8"	1-1/2 lb	\$89.00
SMP-FT08	1-1/4"	5-1/2"	1-13/16"	2 lb	\$108.00
SMP-FT1012	1-3/8"	6-1/4"	2"	2-7/8 lb	\$140.00
SMP-FT14	1-1/2"	6-1/2"	2"	3-1/4 lb	\$165.00
SMP-FT16	1-5/8"	7-1/4"	2"	4-1/8 lb	\$194.00
SMP-FT1820	1-3/4"	7-7/8"	2"	4-3/4 lb	\$220.00
SMP-FT22	1-7/8"	8-3/8"	2"	7 lb	\$282.00
SMP-FT2426	2"	9"	2"	6-5/8 lb	\$293.00
SMP-FT30	2-1/8"	12"	2-1/2"	10-3/4 lb	\$419.00
SMP-FT34	2-3/8"	13-1/4"	2-1/2"	13-1/2 lb	\$470.00
SMP-FT3642	2-5/8"	14"	2-3/4"	17 lb	\$565.00
SMP-FT48	2-7/8"	13-5/8"	4-1/4"	24-3/8 lb	\$1,463.00
SMP-FT5054	3-1/8"	18"	4-1/2"	35-7/8 lb	\$1,800.00
SMP-FT60	3-5/8"	20"	5-1/4"	55-1/4 lbs	\$2,363.00

Set with Case			
Part #	2 of Each Size	Weight	Price
SMP-FTS24	3/4", 7/8", 1"	8 lbs	\$532.00
SMP-FTS26	3/4", 7/8", 1", 1-1/8"	11 lbs	\$708.00
SMP-FTS28	3/4", 7/8", 1", 1-1/8", 1-1/4"	15 lbs	\$921.00
SMP-FTS212	3/4", 7/8", 1", 1-1/8", 1-1/4", 1-3/8"	22 lbs	\$1,199.00
SMP-FTS1426	1-1/2", 1-5/8", 1-3/4", 2"	50 lbs	\$1,975.00

Specs and Pricing

Extra Long – Individual Pricing					
Part #	Bolt Hole Size	Length	Hex Diameter	Weight	Price
SMP-FT0L	1/2"	5-3/8"	3/4"	10 oz	\$62.00
SMP-FT01L	5/8"	5-3/4"	7/8"	12 oz	\$66.00
SMP-FT02L	3/4"	6-1/4"	1-1/16"	14 oz	\$66.00
SMP-FT03L	7/8"	6-1/2"	1-1/4"	1-1/8 lb	\$77.00
SMP-FT04L	1"	7"	1-7/16"	1-1/2 lb	\$97.00
SMP-FT06L	1-1/8"	8"	1-5/8"	2-1/4 lb	\$114.00
SMP-FT08L	1-1/4"	8-1/2"	1-13/16"	3 lb	\$142.00
SMP-FT1012L	1-3/8"	9-1/4"	2"	4 lb	\$168.00
SMP-FT14L	1-1/2"	9-1/2"	2"	4-5/8 lb	\$192.00
SMP-FT16L	1-5/8"	10-1/4"	2"	5-3/4 lb	\$223.00
SMP-FT1820L	1-3/4"	10-7/8"	2"	7 lb	\$252.00
SMP-FT22L	1-7/8"	11-3/8"	2"	8-1/8 lb	\$286.00
SMP-FT2426L	2"	12"	2"	9-1/4 lb	\$322.00
SMP-FT30L	2-1/8"	15"	2-1/2"	13-1/2 lb	\$488.00
SMP-FT34L	2-3/8"	16-1/4"	2-1/2"	18 lb	\$533.00
SMP-FT3642L	2-5/8"	17"	2-3/4"	21 lb	\$619.00

Extra Long – Set with Case			
Part #	2 of Each Size	Weight	Price
SMP-FTS24L	3/4", 7/8", 1"	13 lbs	\$640.00
SMP-FTS26L	3/4", 7/8", 1", 1-1/8"	18 lbs	\$866.00
SMP-FTS28L	3/4", 7/8", 1", 1-1/8", 1-1/4"	21 lbs	\$1,146.00
SMP-FTS212L	3/4", 7/8", 1", 1-1/8", 1-1/4", 1-3/8"	32 lbs	\$1,479.00

Flange Spreader Tools

[Watch Video Here](#)



Equalizer & Enerpac Flange Spreaders



SMP offers Equalizer's full line of mechanical and hydraulic flange spreaders. These spreaders use mechanical and hydraulic principles for separating flanges and can spread small, medium, or large flange joints. Tool selection is based on the access gap between the flange faces, the flange size and the required scope of work.

SWi5TI-S

Integrated Hydraulic spreader generates up to **8.7 tons** of force
Requires a gap of only 1/4"
Tool weighs 23.1 lbs.
Spreads up to 4"

Kit includes: (1) SWi5TI Flange Spreader, (1) Safety Block,
(1) Lanyard, (1) Carrying Case, (1) Instruction Manual

Price: \$2,579.00



SWi12/14TM

Mechanical spreader generates up to **14 tons** of force
12T force 1st step and 14T force 4th step
Requires a gap of only 1/4"
Spreads up to 4.1"

Kit includes: (1) SWi12/14TM wedge head, Torque Wrench with
22mm Socket, (2) Safety block, (1) Carrying case, (1) Carry strap,
(1) Instruction Manual

Price: \$3,612.00

Flange Spreader Tools

[Watch Video Here](#)


Equalizer & Enerpac Flange Spreaders

Equalizer offers the most powerful flange spreaders on the market (models up to 25 tons.) Designed for rigid and large diameter flanges, Equalizer puts the power in your hands to get the job done right. Our most popular tools are listed below but for videos and a full product lineup check out our [website](#).



Enerpac FSC14

10,000 psi integrated hydraulic pump generates **14 tons** of force
Requires a gap of only 1/4"
Spreads up to 3.16 in.
Automatic mechanical retraction

Kit includes: (1) FSC14 Integrated Hydraulic Flange Spreader (1) Safety block (1) Instruction Manual

Price: \$3,872.00

SWi20/25TI Integrated

10,000 psi integrated hydraulic pump generates **25 tons** of force
Requires a gap of only 1/4"
Spreads over 1-1/2" using only the first step
Automatic mechanical retraction

Kit includes: (1) SWi20/25TI wedge head, (1) 10,000 psi 10 T integral hydraulic pump/cylinder, (1) Safety block, (1) Carrying case, (1) Carry strap, (1) Instruction Manual

Price: \$4,587.00



SWi20/25TE Maxi Kit

Generates smooth spreading force of **25 tons**
Requires a gap of only 1/4"
Automatic mechanical retraction
Interlocking first step with deep 15 mm secure hold

Kit includes: (2) SWi20/25TE wedge heads, (2) 10,000 psi 10 T hydraulic hoses, - 2 m each, (2) 10,000 psi 10T hydraulic cylinder, (1) 10,000 psi HP350D sealed hand pump with gauges, (2) Safety block, (2) Stepped blocks, (1) Carrying case, (1) Instruction Manual

Price: \$10,066.00

Flange Spreader Tools

[Watch Video Here](#)



RenQuip Flange Spreaders

RenQuip is a new brand name out of the UK, but the tools and designs are tried and true. These are the same quality you have come to know and expect, but with a fresh look, available stock and competitive pricing.

The FSW9K is all mechanical, produces 9 Tons of force, and works great in limited clearance applications.

The FSW17M is a Maxi kit style tool with 2 separate wedgeheads, 2 hydraulic hoses and a dual port hydraulic pump capable of 34 Tons.

The FSW17P is the most popular of the RenQuip line, as it features an integrated hand pump and wedgehead. This means one mechanic has the power of 17 Tons of force in a compact design.



RenQuip Flange Spreaders

Part #	Tool Style	Force	Price
SMP-FSW9K	Mechanical	9 Tons	\$2,850.00
SMP-FSW17P	Integrated Hydraulic	17 Tons	\$3,285.00
SMP-FSW17M	External Hydraulic Maxi Kit	34 Tons	\$7,500.00

Flange Spreader Tools

[Watch Video Here](#)



Pop-It Tool Flange Spreaders: P95-525



Most versatile tool of its kind on the market – Precision adjustment, compact and portable, lightweight

Takes the place of the hammer and wedge – Can spread or lift 5 tons to 5-1/2" with 120 lbs of force, holds setting without drift, 7/100" entrance for tight spots

Pop-It Tool P95-525

Part # and Description	Price
P95-525 tool	\$1,394.00
P95-525 kit Includes: (2) P95-525, (2) Safety chocks, (1) Pelican case	\$3,000.00

Flange Spreader Tools

[Watch Video Here](#)



Pop-It Tool Flange Spreaders: PHD-0535



Most versatile tool of its kind on the market – Designed for spreading large or rigid flanges, and lifting heavy equipment

Takes the place of the hammer and wedge – Can spread or lift 30,000 lbs up to 5-1/2”, can spread or lift 20,000 lbs up to 8-1/2” with the toes reset

Pop-It Tool PHD-0535	
Part # and Description	Price
PHD-0535 tool (heavy duty)	\$2,509.00
PHD-0535 kit Includes: (1) PHD-0535, (1) Safety chock, (1) Pelican case	\$2,625.00

Flange Spreader Tools

[Watch Video Here](#)




SafetyWedge Tethered Wedge Sets



Designed to reduce the possibility of worker injury with a safety strap (patent pending)

The brass wedge is restrained, non-flying, non-magnetic, non-sparking, non-corrosive, shock resistant



Available in brass, straight steel and banana wedge types


Part #	Description	Length	Thickness	Width	Price
SW-1A	Brass wedge	6"	1/2"	1"	\$146.00
SW-2A	Brass wedge	6"	3/4"	1-1/2"	\$209.00
SW-3A	Brass wedge	8"	1-1/2"	1-1/2"	\$290.00
SWST-1A	Steel wedge	10-1/2"	7/8"	7/8"	\$197.00
SWBN-1A	Banana steel wedge	11"	7/8"	7/8"	\$216.00
SWBW-1A	Banana brass wedge	13"	3/4"	1-1/2"	\$290.00

Flange Spreader Tools

[Watch Video Here](#)



SMP Side Winder Pipe Spreader



Ideally suited for spreading lap joint, slip on, or flat face flanges.

Operating span from 5" up to 42"

Operates with an adjustable wrench in either the vertical or horizontal position.

SMP Side Winder Pipe Spreaders 30"

Part#	Pipe Size	Operating Span	Price
SMP30PS-0208	2" - 8"	5" to 30"	\$1,855.00
SMP30PS-1018	10" - 18"	5" to 30"	\$1,950.00

SMP Side Winder Pipe Spreaders 42"

Part#	Pipe Size	Operating Span	Price
SMP42PS-0208	2" - 8"	5" to 42"	\$1,995.00
SMP42PS-1018	10" - 18"	5" to 42"	\$2,075.00

Flange Spreader Tools

[Watch Video Here](#)



Valve-Out Valve Removal Tool & Flange Spreader



Eliminate the need for come-alongs, track-hoes, wire rope, chains, hammers, and wedges

Can be used for safe and easy removal of: control valves, bypass valves, expansion joints, spools, rupture disks, regulators, orifice plates, and meters



Specs and Pricing

SMP-VOC 1 Kit

Includes 3/4", 7/8", 1" bolt hole pins that can fit flange sizes ranging from:

Pipe Diameter	Pressure
2" to 12"	150 series flanges
1" to 8"	300 series flanges
1" to 6"	400 series flanges
1" to 4"	600 series flanges
1" to 3"	900 series flanges
1" to 2"	1500 series flanges

Price: \$3,175.00

Includes Pelican Hard Shelled Case; FOB: Houston, TX



SMP-VOC 2 Kit

Includes 1-1/8", 1-1/4", 1-3/8" bolt hole pins that can fit flange sizes ranging from:

Pipe Diameter	Pressure
14" to 26"	150 series flanges
10" to 20"	300 series flanges
8" to 14"	400 series flanges
5" to 12"	600 series flanges
1-1/2" to 6"	900 series flanges
1-1/2" to 4"	1500 series flanges

Price: \$3,300.00

Includes Pelican Hard Shelled Case; FOB: Houston, TX



SMP-VOC 1 and SMP-VOC 2 Kits include:

Flange spreading plates and interchangeable bolt hole pins to service the sizes listed, plus spacer bar segments 1-3/4" caps (2), 1-3/4" cups (2), 2" spacers (4), 4" spacers (2). Spacer parts total 11.5" per side of flange.

Tools come in (2) Hard Shell Cases with form-fitting foam.

Valve-Out Valve Removal Tool & Flange Spreader

Specs and Pricing

SMP-VOC 1-2 Kit

Includes 3/4", 7/8", 1", 1-1/8", 1-1/4", and 1-3/8" bolt hole pins
that can handle flange sizes ranging from:

Pipe Diameter	Pressure
2" to 26"	150 series flanges
1" to 20"	300 series flanges
1" to 14"	400 series flanges
1" to 12"	600 series flanges
1" to 6"	900 series flanges
1" to 4"	1500 series flanges

Price: \$4,275.00

Includes Pelican Hard Shelled Case; FOB: Houston, TX



SMP VOC 1-2 Kit includes:

Flange spreading plates and interchangeable bolt hole pins to service the sizes listed, plus spacer bar segments 1-3/4" caps (2), 1-3/4" cups (2), 2" spacers (4), 4" spacers (2). Spacer parts total 11.5" per side of flange.

Tools come in (3) Hard Shell Cases with form-fitting foam.

Extra Spacer Bars Available for Valves Wider Than 12"

VOC SPCR2 – 2" Valve-Out Spacer \$47.00 each

VOC SPCR4 – 4" Valve-Out Spacer \$51.00 each

VOC SPCR6 – 6" Valve-Out Spacer \$54.00 each

Torque Wrenches

[Watch Video Here](#)



RAD Torque Wrenches



Compared to hydraulic torque wrenches, RAD pneumatic torque wrenches allow for significantly faster torquing times. Once the trigger is pulled RAD Torque wrenches will rotate continuously.

Pneumatic torque wrenches from RAD are also much lighter and aren't constrained by hydraulic hoses like hydraulic torque wrenches, making them easier to use and more ergonomic for the mechanic.

RAD pneumatic torque wrenches will stall right at the preset torque.

Models are available up to 8,500 foot pounds of torque.

Torque Wrenches

Specs and Pricing



RAD Single Speed

RAD single speed pneumatic torque wrenches are available from 50 – 11,000 ft. / lbs. and 3 - 65 rpms.
Accuracy of +/-4%, and repeatability of +/-2%

Each RAD Pneumatic Tool includes:
Reaction Arm and Snap Ring
Hose and Fittings
Tool Holder with FRL Unit



Check Website for Models & Pricing

B – RAD Select

B-RAD Select offers unmatched power, versatility, and reliability while incorporating a new torque display with buttons. The B-RAD Select allows the user to easily select the target torque.

- Digital torque settings, able to increase or decrease the value by 10 ft. lbs.
- Torque ranges up to 5,000 ft - lbs.
- Equipped with the latest lithium-ion technology
- Suitable for pre-torque and service jobs where electricity or compressed air are not available.



NEW!
Now with digital torque settings.
Torque ranges up to 5,000 ft-lbs

Check Website for Models & Pricing



E – RAD BLU

E-RAD BLU precision torque wrench tools are designed to provide a high degree of accuracy (+/- 2.8%) and repeatability (+/- 2%). Using a patented gearbox design and the precision of an electric AC Servo motor.

E – RAD BLU Tool Kits Include:
Reaction Arm and Snap Ring
E – RAD Tool Handle
E – RAD Touch Controller
Single 15' Cable
Calibrated to ISO 17025



Check Website for Models & Pricing

Operations Tools

[Watch Video Here](#)



AMS FlowBoss Bleeder Cleaners



Clean clogged bleeder, vent and instrument tap valves safely and efficiently while containing process material.

Eliminate the hazards of dangerous fires, spills, and vapor releases

Straight



Angle 90



Angle 60



SMP offers training, onsite demonstrations, tool inspection and repair. Make sure your team has the right tool and the knowledge and skills to work safely -- Talk to an SMP sales member to learn more.

← Ask about our **Industrial** drill bits.

Turnaround Tools

[Watch Video Here](#)



Flange Lifter Tools

Flange lifting tools from SMP allow for a safe and easy way to pick up, lift and lower blind and weld neck flanges. Flange lifting tools hold flanges level and 2-holed for ease of installation or welding. Load rating applies to both vertical and horizontal orientations. No lifting eye required.

SMP Flange Lifting Shackle

Positive Attachment to both blind and weld neck flanges.
Tool arms swivel for fitment on different bolt holes.

Part#	Fits Bolt Size	Flange Thickness	Load Rating	Price
SMP-FLS3	5/8" Minimum	Up to 3"	2,000 lbs.	\$2,121.00
SMP-FLS6	7/8" Minimum	Up to 6"	5,000 lbs.	\$2,829.00
SMP-FLS11	1-1/8" Minimum	Up to 11"	14,000 lbs.	\$4,477.00



Blind (Only) Flange Lifters

Flange lifting tools pick up and lower blind flanges by the bolts. The spacers and arms can be swapped to fit the exact flange thickness.

Part#	Fits Bolt Size	Flange Thickness	Load Rating	Price
SMP-FLA112	3/4" – 1-1/2"	1/2" – 3-3/4"	1,000 lbs.	\$1,339.00
SMP-FLA212	1-1/2" – 2-1/2"	1/2" – 7"	2,000 lbs.	\$1,561.00



Blind & Weld Neck Flange Lifters

Flange lifting tools pick up and lower blind and weld neck flanges by the bolts.
The spacers and arms can be swapped to fit the exact flange thickness.

Part#	Fits Bolt Size	Flange Thickness	Load Rating	Price
SMP-FLA1000	3/4" – 2-1/4"	1" – 6-3/16"	1,000 lbs.	\$1,339.00
SMP-FLA5000	3/4" – 4"	1" – 11-1/16"	5,000 lbs.	\$1,784.00
SMP-FLA14000	3/4" – 4"	1" – 11-1/16"	14,000 lbs.	\$2,454.00



Turnaround Tools

[Watch Video Here](#)



FlangeKing Gasket Multi-Tool



The FlangeKing™ gasket multi-tool is the perfect addition to every maintenance technician's tool set. Built for safe and easy removal of flange gaskets, FlangeKing keeps fingers out of danger, and the handle is contoured to fit comfortably in your hand.

Overall Length: 13.25"

Blade Length: 7.75"

Blade Width: 1.5"

Weight: 6 oz.

Blade Thickness: .125"

Utility Round: .375" Diameter

Rule: 7.75 inch

FLANGE KING™
FLEX

Individual Pricing

Part #	Blade Length	Corner Style	Price
FK Flex	8" (90° Gasket Scraper)		\$52.00

Turnaround Tools

[Watch Video Here](#)



BobbyJack Pipe Lifter



Eliminate need for crane, crane operator and rigger

Quick and easy install – Less than one minute

Reduce costs, maximize productivity, increase safety

Individual Pricing


Part # and Description	Price
<p>SMP-BobbyJack</p> <p>Accommodates pipe sizes up to 30"</p> <p>Raises pipe up to 5-3/4" from beam</p> <p>Fits all standard sized beams</p> <p>Each unit tested and certified to withstand > 12,000 lb load</p>	<p>\$8,500.00</p>

Turnaround Tools

[Watch Video Here](#)



Pipe Rack Jack Pipe Lifter



Developed to lift pipe for inspection or to replace and refurbish supports underneath pipe

Eliminates the need to hire an expensive crane or build scaffolding to inspect pipes – Made from anodized high tensile aluminum

Simple, safe, solid, cost effective, CE approved, corrosion resistant and a purely mechanical solution to an expensive problem

Individual Pricing (with Pelican case)

Part #	Pipe Dia	Beam Ht	Beam Wd	Max Load	Lifting Ht	Total Wt	Dims	Price
SMP-PRJ	Up to DN400 (16")	4" to 12-1/2"	4" to 12-1/2"	5500 lb	Min 6"	54 lb	36" x 11" x 4-1/2"	\$7,500.00